### **Evaluation Questions:**

### Clinical? Bup/nalox vs Methadone ปกติ

- age 18+, DSM V, urine +ve
- inform consent open-label free selection 2 choices
- Induction stabilization maintenance 6-12 months
- Safety, Relapse, QoL, Employment, Crime

### **Service & Costs?**

- visits, hospitalization, satisfaction, retention
- provider costs, patient costs, switching costs

## **Special groups?**

- HIV +ve, HCV +ve, mountainous areas, youths

## Evaluation Questions: ความพยายาม ในปี 2016

THAI SUBOXONE OUTCOME STUDY

NO CIRCULATION WITHOUT PERMISSION

## Effectiveness of Suboxone Film Maintenance Treatment in Thailand A prospective, observational study

#### **CLINICAL STUDY PROTOCOL V1.0**

#### Study Identifiers

UoA:	THAI/SUBOXONE/2016
IRB Number:	×××
Funder's reference	×××

#### Sponsor

Name:	University of Adelaide
Address:	Frome Road Adelaide South Australia, Australia. 5000
Telephone:	+61 8 8313 5208

#### Co-Chief Investigator

Name:	Professor Robert Ali MBBS FAChAM FAFPHM
Address:	Discipline of Pharmacology School of Medicine University of Adelaide South Australia
Telephone:	+61 8 83138055
Email:	robert.ali@adelaide.edu.au

#### Co-Chief Investigator

Name:	Professor John Marsden PhD, AFBPsS, C.Psychol., PgDip CBT,
Address:	Addictions Department, Institute of Psychiatry, Psychology & Neuroscience hello King's College London, United Kingdom
Telephone:	+44 20 7848 0830
Email:	john.marsden@kcl.ac.uk

## **Effectiveness Evaluation Study:**

**Population** – Opium/Heroin dependence patients

**Intervention** — Medication-Assisted Treatment with Bup./nalox.

**Control** – existing Medication-Assisted Treatment with Methadone

Outcomes - Retention (Compliance, Clinical, Crimes, Costs)

Evaluation under routine setting,

no need for randomized control trial (RCT)

## **Effectiveness Evaluation Study:**

> Prospective, observational, open-label F-U study

**Setting- 5 MMT clinics** 

**Primary objective** – Retention at 6 months

**Secondary objectives – Clinical, Compliance, Crimes, Costs** 

Recruitment- New cases or MMT drop-out – voluntary

Sample size- 200 Bup./Nalox. 200 MMT in same site